

PES-0048

IN THE CLAIMS

CLAIM 1. (Cancelled)

CLAIM 2. (Currently Amended) The electrochemical cell of claim 34 wherein the electrically conductive member and the compression member are continuous structures concentrically arranged to form the pressure pad.

CLAIM 3. (Currently Amended) ~~The~~ An electrochemical cell of claim 1, comprising:
a first electrode;
a second electrode;
a membrane disposed between the first electrode and the second electrode; and
a pressure pad disposed in electrical communication with the first electrode and
being configured to support the first electrode, the second electrode, and the membrane, the
pressure pad comprising,
an electrically conductive member, and
a compression member disposed at the electrically conductive member;
wherein the electrically conductive member and the compression member
are spirally arranged to form the pressure pad.

PES-0048

CLAIM 4. (Currently Amended) ~~The~~ An electrochemical cell, ~~of claim 1~~
comprising:

_____ a first electrode;
_____ a second electrode;
_____ a membrane disposed between the first electrode and the second electrode; and
_____ a pressure pad disposed in electrical communication with the first electrode and
being configured to support the first electrode, the second electrode, and the membrane, the
pressure pad comprising,
_____ an electrically conductive member, and
_____ a compression member disposed at the electrically conductive member;

wherein the electrically conductive member comprises a plate, the plate
being configured to include plurality of raised portions concentrically disposed thereon, the
raised portions being configured to receive compression members therebetween.

CLAIM 5. (Currently Amended) The electrochemical cell of claim ~~1~~3 wherein the compression
member is longitudinally disposed within the electrically conductive member.

CLAIM 6. (Currently Amended) The electrochemical cell of claim ~~1~~3 wherein the electrically
conductive member is compressible.

CLAIM 7. (Currently Amended) The electrochemical cell of claim ~~3~~4 wherein the pressure pad
is porous.

CLAIM 8. (Currently Amended) The electrochemical cell of claim ~~1~~3 wherein the electrically
conductive member ~~is fabricated from~~ comprises a material selected from the group consisting of
copper, silver, gold, aluminum, niobium, zirconium, tantalum, titanium, iron, nickel, cobalt,
hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials,
electrically conductive polymers, and combinations of the foregoing materials.

PES-0048

CLAIM 9. (Currently Amended) The electrochemical cell of claim 13 wherein the electrically conductive member ~~is fabricated of~~ comprise electrically conductive carbon.

CLAIM 10. (Currently Amended) The electrochemical cell of claim 13 wherein the compression member ~~is fabricated from~~ comprises an elastomeric material.

CLAIM 11. (Original) The electrochemical cell of claim 10 wherein the elastomeric material is selected from the group consisting of silicones, fluorosilicones, fluoroelastomers, and combinations of the foregoing materials.

CLAIM 12 - 42. (Cancelled)

CLAIM 43. (New) The electrochemical cell of claim 8 wherein the material is selected from the group consisting of gold, aluminum, niobium, zirconium, tantalum, titanium, iron, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 44. (New) The electrochemical cell of claim 43 wherein the material is selected from the group consisting of niobium, tantalum, titanium, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 45. (New) The electrochemical cell of claim 3 wherein the electrically conductive member comprises titanium.

CLAIM 46. (New) The electrochemical cell of claim 3 wherein the electrically conductive member comprises a material selected from the group consisting of electrically conductive carbon, electrically conductive polymers, and electrically conductive graphite, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

PES-0048

CLAIM 47. (New) The electrochemical cell of claim 4 wherein the electrically conductive member is compressible.

CLAIM 48. (New) The electrochemical cell of claim 4 wherein the pressure pad is porous.

CLAIM 49. (New) The electrochemical cell of claim 4 wherein the electrically conductive member comprises a material selected from the group consisting of copper, silver, gold, aluminum, niobium, zirconium, tantalum, titanium, iron, nickel, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, electrically conductive polymers, and combinations of the foregoing materials.

CLAIM 50. (New) The electrochemical cell of claim 49 wherein the material is selected from the group consisting of gold, aluminum, niobium, zirconium, tantalum, titanium, iron, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 51. (New) The electrochemical cell of claim 50 wherein the material is selected from the group consisting of niobium, tantalum, titanium, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 52. (New) The electrochemical cell of claim 4 wherein the electrically conductive member comprises titanium.

CLAIM 53. (New) The electrochemical cell of claim 4 wherein the electrically conductive member comprises a material selected from the group consisting of electrically conductive carbon, electrically conductive polymers, and electrically conductive graphite, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

PES-0048

CLAIM 54. (New) The electrochemical cell of claim 4 wherein the electrically conductive member comprises electrically conductive carbon.

CLAIM 55. (New) The electrochemical cell of claim 4 wherein the compression member comprises an elastomeric material.

CLAIM 56. (New) The electrochemical cell of claim 55 wherein the elastomeric material is selected from the group consisting of silicones, fluorosilicones, fluoroelastomers, and combinations of the foregoing materials.

CLAIM 57. (New) The electrochemical cell of claim 4 wherein the raised portions are concentrically disposed on a first major surface of the plate and on an opposing second major surface of the plate.

CLAIM 58. (New) The electrochemical cell of claim 57 wherein the raised portions concentrically disposed on the first major surface of the plate register with spaces between the raised portions concentrically disposed on the second major surface of the plate.

CLAIM 59. (New) The electrochemical cell of claim 57 wherein the plate includes an interruption extending radially outward from a hub disposed substantially at a center of the plate, the interruption being configured to provide a flexibility to the plate.

PES-0048

CLAIM 60. (New) An electrochemical cell, comprising:

a first electrode;

a second electrode;

a membrane disposed between the first electrode and the second electrode; and

a pressure pad disposed in electrical communication with the first electrode and

being configured to support the first electrode, the second electrode, and the membrane, the pressure pad comprising,

an electrically conductive member, and

a compression member disposed at the electrically conductive member;

wherein the electrically conductive member comprises a plate, the plate being configured to include plurality of raised portions annularly disposed thereon, the raised portions being configured to receive compression members therebetween.

CLAIM 61. (New) The electrochemical cell of claim 60 wherein the electrically conductive member comprises electrically conductive carbon.

CLAIM 62. (New) The electrochemical cell of claim 60 wherein the electrically conductive member is compressible.

CLAIM 63. (New) The electrochemical cell of claim 60 wherein the pressure pad is porous.

CLAIM 64. (New) The electrochemical cell of claim 60 wherein the electrically conductive member comprises a material selected from the group consisting of copper, silver, gold, aluminum, niobium, zirconium, tantalum, titanium, iron, nickel, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, electrically conductive polymers, and combinations of the foregoing materials.

PES-0048

CLAIM 65. (New) The electrochemical cell of claim 64 wherein the material is selected from the group consisting of gold, aluminum, niobium, zirconium, tantalum, titanium, iron, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 66. (New) The electrochemical cell of claim 65 wherein the material is selected from the group consisting of niobium, tantalum, titanium, cobalt, hafnium, tungsten, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 67. (New) The electrochemical cell of claim 60 wherein the electrically conductive member comprises titanium.

CLAIM 68. (New) The electrochemical cell of claim 60 wherein the electrically conductive member comprises a material selected from the group consisting of electrically conductive carbon, electrically conductive polymers, and electrically conductive graphite, alloys of the foregoing materials, superalloys of the foregoing materials, and combinations of the foregoing materials.

CLAIM 69. (New) The electrochemical cell of claim 60 wherein the compression member comprises an elastomeric material.

CLAIM 70. (New) The electrochemical cell of claim 69 wherein the elastomeric material is selected from the group consisting of silicones, fluorosilicones, fluoroelastomers, and combinations of the foregoing materials.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.